

US Serial No. 10/523594  
Page 2 of 13

RECEIVED  
CENTRAL FAX CENTER

MAR 03 2008

In the Claims:

1.(currently amended) A hard surface cleaning composition ~~cleaner~~ comprising a first precursor composition, being a thin alkaline liquid which contains a compound which generates chlorine dioxide under acidic conditions but not under alkaline conditions and which further contains a surfactant which thickens on admixture with an acid., and a second precursor composition, being a thin acidic liquid, wherein on mixing the first and second precursor compositions the resulting admixed cleaning composition is acidic, causing the compound to generate chlorine dioxide, and is more viscous than the first precursor composition and more viscous than the second precursor composition and wherein the hard surface cleaner composition comprises at least 1%wt. of a surfactant which thickens on admixture of the first and second precursor compositions characterized in that a color change agent is contained within the first precursor composition, the second precursor composition or both the first and second precursor compositions, and that on initial mixing of the two precursor compositions the admixed cleaning composition is of a first appearance, which changes to a second appearance of different color in a period of time of less than 5 minutes.

2.(currently amended) A hard surface cleaning composition ~~cleaning composition~~ ~~cleaner~~ according to claim 1, wherein the viscosity of the first precursor composition is in the range 0.5-100 cps, the viscosity of the second precursor composition is in the range 0.5-100 cps and the viscosity of the cleaning composition produced by admixture thereof is 150-4000 cps.

3.(currently amended) A hard surface cleaning composition according to claim 1 wherein the first precursor composition is of pH at least 8, and comprises an alkali metal chlorite stabilised in aqueous solution by an additional base.

US Serial No. 10/523594  
Page 3 of 13

- 4.(currently amended)      A hard surface cleaning composition according to claim 1, wherein the second precursor composition is of pH not more than 5, and comprises a mineral acid in aqueous solution.
- 5.(currently amended)      A hard surface cleaning composition according to claim 1, wherein the pH of the cleaning composition, formed by admixture of the first and second precursor compositions, is not more than 5.5
- 6.(canceled)
- 7.(canceled)
- 8.(currently amended)      A hard surface cleaning composition according to claim 1 7, wherein the surfactant is an anionic surfactant, being an alkyl sulphate or sulphonate.
- 9.(currently amended)      A hard surface cleaning composition according to claim 1 7, wherein the surfactant is alkoxylated.
- 10.(currently amended)      A hard surface cleaning composition according to claim 1 7, wherein the surfactant is a C<sub>8-20</sub> alkyl-EO<sub>1-4</sub> sulphate, with an alkali metal cation.
- 11.(canceled)
- 12.(currently amended)      A hard surface cleaning composition according to claim 1, which comprises:  
0.02-2% w/w, of a compound which under acid conditions generates chlorine dioxide, provided substantially wholly via the first precursor liquid;

US Serial No. 10/523594  
Page 4 of 13

1 – 5% w/w, w/w, of an alkali metal, alkoxylated C<sub>8-20</sub> alkyl sulphate surfactant which thickens on being acidified, provided partially or substantially wholly via the first precursor liquid;

20-46% w/w, water, provided via the first precursor liquid;

an alkali metal base, provided substantially wholly via the first precursor liquid, in an amount such as to make the pH thereof at least 12;

20-46% w/w, water, provided via the second precursor liquid;

an acid, provided substantially wholly via the second precursor liquid, in an amount such as to make the pH thereof not more than 5 and the pH of the admixed cleaning composition not more than 0.5 higher than the pH of the second precursor liquid;

wherein the viscosity of the first precursor liquid is in the range 0.1-100 cps, the viscosity of the second precursor liquid is in the range 0.1-100 cps, and the viscosity of the admixed composition is in the range 150-1400 cps and characterized in that a color change agent is contained within the first precursor composition, the second precursor composition or both the first and second precursor compositions, and that on initial mixing of the two precursor compositions the admixed cleaning composition is of a first appearance, which changes to a second appearance of different color in a period of time of less than 5 minutes.

13.(currently amended) A hard surface cleaning pack comprising a first chamber containing a first precursor composition, being a thin alkaline liquid which contains a compound which generates chlorine dioxide under acidic conditions but not under alkaline conditions and which further contains a surfactant which thickens on admixture with an acid., and a second chamber containing the second precursor composition, being a thin acidic liquid, at least 1%wt. of a surfactant present in the first precursor composition and/or in the second precursor composition which thickens the admixture of the first and second precursor

US Serial No. 10/523594  
Page 5 of 13

compositions, wherein the chambers are adapted for simultaneous, separate, dispensing of the first and second precursor compositions with downstream mixing thereof, wherein on mixing the first and second precursor compositions the resulting admixed cleaning composition is acidic, causing the compound to generate chlorine dioxide, and is more viscous than both first precursor compositions and characterized in that a color change agent is contained within the first precursor composition, the second precursor composition or both the first and second precursor compositions, and that on initial mixing of the two precursor compositions the admixed cleaning composition is of a first appearance, which changes to a second appearance of different color in a period of time of less than 5 minutes.

14.(currently amended) A method of cleaning a hard surface, the method comprising use of a hard surface cleaning composition according to claim 1 which is an in situ mixture of the first precursor composition and the second precursor precursor composition.

15.(original) A method as claimed in claim 14, comprising the admixture of the first and second precursor compositions, the first precursor composition constituting 30-70 parts by weight of the cleaning composition and the second precursor composition constituting the balance.

16. (canceled)

17.(currently amended) A hard surface cleaning composition according to claim 12 which consists essentially of:

0.1-1% w/w, of a compound which under acid conditions generates chlorine dioxide, provided substantially wholly via the first precursor liquid;

US Serial No. 10/523594  
Page 6 of 13

1.5-4% w/w, of an alkali metal, alkoxylated C<sub>8-20</sub> alkyl sulphate surfactant which thickens on being acidified, provided partially or substantially wholly via the first precursor liquid;

28-40% w/w, water, provided via the first precursor liquid;

an alkali metal base, provided substantially wholly via the first precursor liquid, in an amount such as to make the pH thereof at least 12;

28-40% w/w, water, provided via the second precursor liquid;

an acid, provided substantially wholly via the second precursor liquid, in an amount such as to make the pH thereof not more than 5 and the pH of the admixed cleaning composition not more than 0.5 higher than the pH of the second precursor liquid;

wherein the viscosity of the first precursor liquid is in the range 0.1-100 cps, the viscosity of the second precursor liquid is in the range 0.1-100 cps, and the viscosity of the admixed composition is in the range 150-1400 cps, and characterized in that a color change agent is contained within the first precursor composition, the second precursor composition or both the first and second precursor compositions, and that on initial mixing of the two precursor compositions the admixed cleaning composition is of a first appearance, which changes to a second appearance of different color in a period of time of less than 5 minutes.

18.(currently amended) A hard surface cleaning composition according to claim 17

wherein the viscosity (as measured herein) of the first precursor liquid is in the range 1-10 cps, the viscosity of the second precursor liquid is in the range 1-10 cps, and the viscosity of the admixed composition is in the range 150-1400 cps.

19.(currently amended) A hard surface cleaning composition according to claim 18

wherein the viscosity of the admixed composition is in the range 500-1000 cps.

US Serial No. 10/523594  
Page 7 of 13

20.(new) A hard surface cleaning composition according to claim 1 wherein on initial mixing of the two precursor compositions the admixed cleaning composition is of a first appearance, which changes to a second appearance of different color in a period of time of less than 2 minutes..